


PART NUMBER TBF-02600385-80S	REV.	DATE	COMMENTS	INITIAL
	1	2020/1/2	ENGINEERING RELEASE	

Specifications

RoHS Compliant

Passband Frequency Range	2600-3850MHz
Center Frequency(F_0)	3225MHz
Passband Insertion Loss	0.7dB max
Passband Ripple	0.4dB max
Passband Return Loss	20dB min
Stopband Rejection	80dB min@DC-1900MHz
	70dB min@1900-2080MHz
	30dB min@2080-2400MHz
	50dB min@4050-4180MHz
	80dB min@4180-9500MHz
Power Handling	5W max
Impedance	50 Ohms
Operating Temperature	-30°C~+70°C
Connectors	SMA-Female(stainless steel)
Housing Material	6061 Aluminum Alloy
Finish	Black Painted
Weight	107g



Drawing not to scale, units:mm



www.titan-microwave.com
Tel: +86 130 866 58398
Email: sales@titan-microwave.com
chris@titan-microwave.com

PART NUMBER TBF-02600385-80S		DESCRIPTION Comb Band Pass Filter, Passband 2.6~3.85GHz Stopband Rejection 80dB, 5W, SMA-Female
CAGE CODE	SIGNATURE	
EXCEPT AS OTHERWISE PROVIDED BY CONTRACTOR THIS DRAWING OR SPECIFICATION IS PROPERTY OF TITAN MICROWAVE INC. IT IS ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS.		