


PART NUMBER TBF-791M852M-80N
--

REV.	DATE	COMMENTS	INITIAL
1	2020/8/15	ENGINEERING RELEASE	

Specifications

RoHS Compliant

- Passband Frequency Range 791-852MHz
- Center Frequency(F_0) 821.5MHz
- Passband Insertion Loss 0.8dB max
- Passband Ripple 0.3dB max
- Passband Return Loss 23dB min
- Stopband Rejection 70dB min@DC-683MHz
- 80dB min@960-3000MHz
- Power Handling 20W max
- Impedance 50 Ohms
- Operating Temperature -30°C~+70°C
- Connectors N-Male/N-Female
- Housing Material Aluminum 6061
- Finish Black Painted
- Weight 410g



Drawing not to scale, units:mm



www.titan-microwave.com
 Tel: +86 130 866 58398
 Email: sales@titan-microwave.com
 chris@titan-microwave.com

PART NUMBER TBF-791M852M-80N		DESCRIPTION Cavity Band Pass Filter, Passband 791~852MHz Stopband Rejection 80dB, 20W, N-Male/Female
CAGE CODE	SIGNATURE _____	
EXCEPT AS OTHERWISE PROVIDED BY CONTRACTOR THIS DRAWING OR SPECIFICATION IS PROPERTY OF TITAN MICROWAVE INC. IT IS ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS.		