


PART NUMBER
TMPC2-02180253-25N

REV.	DATE	COMMENTS	INITIAL
1	2020/7/18	ENGINEERING RELEASE	

Specifications

RoHS Compliant

- Frequency Range 2175-2525MHz
- Insertion Loss 0.4dB max
- Nominal Splitter Loss 3.01dB typ
- VSWR(input) 1.25:1 max
- VSWR(output) 1.25:1 max
- Isolation 18dB min
- Amplitude Balance ± 0.3dB max
- Phase Balance ± 3° max
- Impedance 50 Ohm
- Power Handling 25W (Each port)
- Connectors N-Female
- Center Contact Gold Plated Beryllium Copper
- Dimensions 52 × 48 × 20mm
- Surface Finish Black/Blue Painted
- Material Aluminum 6061
- Temperature Range -45°C~+65°C



Drawing not to scale, units:mm



www.titan-microwave.com
Tel: +86 130 866 58398
Email: sales@titan-microwave.com
chris@titan-microwave.com

PART NUMBER TMPC2-02180253-25N		DESCRIPTION Power Combiner, 2 Way, 2175-2525MHz 25W, N-Female
CAGE CODE	SIGNATURE _____	
EXCEPT AS OTHERWISE PROVIDED BY CONTRACTOR THIS DRAWING OR SPECIFICATION IS PROPERTY OF TITAN MICROWAVE INC. IT IS ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS.		