




PART NUMBER TWGC753C50	REV.	DATE	COMMENTS	INITIAL
	1	2021/4/18	ENGINEERING RELEASE	

SPECIFICATIONS

Frequency Range	9.84-15GHz
Nominal Coupling	50±0.7dB
Directivity	18dB min
VSWR Primary	1.05:1 max
VSWR Secondary	1.1:1 max
Impedance	50 Ohms
Input Average Power	2KW max@25°C
.....	(derate linearly to 200W@100°C)
Waveguide Type	WR-75
Flange Type	FBP120(UBR) Flange
Waveguide Body	Aluminum, Gray Painted
Connector Body	Stainless Steel, Passivated
Dimensions	111.1(L)×95.25(W)mm



Drawing not to scale, units:mm



www.titan-microwave.com
Tel: +86 185 8328 2993
Email: sales@titan-microwave.com
chris@titan-microwave.com

PART NUMBER TWGC753C50		DESCRIPTION Waveguide Directional Cross Coupler, 9.84~15GHz Coupling 50 ± 0.7dB, WR-75, FBP120(UBR) Flange
CAGE CODE	SIGNATURE	
EXCEPT AS OTHERWISE PROVIDED BY CONTRACTOR THIS DRAWING OR SPECIFICATION IS PROPERTY OF TITAN MICROWAVE INC. IT IS ISSUED IN STRICT CONFIDENCE AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS.		